

Text Analysis with NLTK Cheatsheet

```
>>> import nltk
>>> nltk.download()
>>> from nltk.book import *
```

This step will bring up a window in which you can download 'All Corpora'

Basics

```
tokens
>>> text1[0:100] - first 101 tokens
>>> text2[5] - fifth token

concordance
>>> text3.concordance('begat') - basic keyword-in-context
>>> text1.concordance('sea', lines=100) - show other than default 25 lines
>>> text1.concordance('sea', lines=all) - show all results
>>> text1.concordance('sea', 10, lines=all) - change left and right context width to 10 characters and show all results

similar
common_contexts
>>> text3.similar('silence') - finds all words that share a common context
>>> text1.common_contexts(['sea', 'ocean'])
```

Counting

```
Count a string
>>> len('this is a string of text') - number of characters

Count a list of tokens
>>> len(text1) - number of tokens

Make and count a list of unique tokens
>>> len(set(text1)) - notice that set return a list of unique tokens

Count occurrences
Frequency
>>> text1.count('heaven') - how many times does a word occur?
>>> fd = nltk.FreqDist(text1) - creates a new data object that contains information about word frequency
>>> fd['the'] - how many occurrences of the word 'the'
>>> fd.keys() - show the keys in the data object
>>> fd.values() - show the values in the data object
>>> fd.items() - show everything
>>> fd.keys()[0:50] - just show a portion of the info.

Frequency plots
Other FreqDist functions
>>> fd.plot(50, cumulative=False) - generate a chart of the 50 most frequent words
>>> fd.hapaxes()
>>> fd.freq('the')

Get word lengths
And do FreqDist
FreqDist as a table
>>> lengths = [len(w) for w in text1]
>>> fd = nltk.FreqDist(lengths)
>>> fd.tabulate()
```

Normalizing

```
De-punctuate
De-uppercasyfy (?)
>>> [w for w in text1 if w.isalpha()] - not so much getting rid of punctuation, but keeping alphabetic characters
>>> [w.lower() for w in text] - make each word in the tokenized list lowercase
>>> [w.lower() for w in text if w.isalpha()] - all in one go

Sort
Unique words
>>> sorted(text1) - careful with this!
>>> set(text1) - set is oddly named, but very powerful. Leaves you with a list of only one of each word.

Exclude stopwords
Make your own list of word to be excluded:
>>> stopwords = ['the', 'it', 'she', 'he']
>>> mynewtext = [w for w in text1 if w not in stopwords]
Or you can also use predefined stopwords lists from NLTK:
>>> from nltk.corpus import stopwords
>>> stopwords = stopwords.words('english')
>>> mynewtext = [w for w in text1 if w not in stopwords]
```

Searching

Dispersion plot
Find word that end with...
Find words that start with...
Find words that contain...
Combine them together:
Regular expressions

```
>>>text4.dispersion_plot(['American','Liberty','Government'])
>>>[w for w in text4 if w.endswith('ness')]
>>>[w for w in text4 if w.startsswith('ness')]
>>>[w for w in text4 if 'ee' in w]
>>>[w for w in text4 if 'ee' in w and w.endswith('ing')]
'Regular expressions' is a syntax for describing sequences of characters usually used to construct search queries. The Python 're' module must first be imported:
>>>import re
>>>[w for w in text1 if re.search('^ab',w)] – 'Regular expressions' is too big of a topic to cover here. Google it!
```

Chunking

Collocations

```
>>> text4.collocations() - multi-word expressions that commonly co-occur. Notice that is not necessarily related to the frequency of the words.
>>>text4.collocations(num=100) – alter the number of phrases returned
Bigrams, Trigrams, and n-grams are useful for comparing texts, particularly for plagiarism detection and collation
>>>nltk.bigrams(text4) – returns every string of two words
>>>nltk.trigrams(text4) – return every string of three words
>>>nltk.ngrams(text4, 5)
```

Bi-grams
Tri-grams
n-grams

Tagging

part-of-speech tagging

```
>>>mytext = nltk.word_tokenize("This is my sentence")
>>> nltk.pos_tag(mytext)
```

Working with your own texts:

Open a file for reading

```
>>>file = open('myfile.txt') – make sure you are in the correct directory before starting Python
```

Read the file

```
>>>t = file.read();
```

Tokenize the text

```
>>>tokens = nltk.word_tokenize(t)
```

Convert to NLTK Text object

```
>>>text = nltk.Text(tokens)
```

Quitting Python

Quit

```
>>>quit()
```

Part-of-Speech Codes

CC	Coordinating conjunction	NNS	Noun, plural	UH	Interjection
CD	Cardinal number	NNP	Proper noun, singular	VB	Verb, base form
DT	Determiner	NNPS	Proper noun, plural	VBD	Verb, past tense
EX	Existential there	PDT	Predeterminer	VBG	Verb, gerund or present participle
FW	Foreign word	POS	Possessive ending	VBN	Verb, past participle
IN	Preposition or subordinating conjunction	PRP	Personal pronoun	VBP	Verb, non-3rd person singular present
JJ	Adjective	PRP\$	Possessive pronoun	VBZ	Verb, 3rd person singular present
JJR	Adjective, comparative	RB	Adverb	WDT	Wh-determiner
JJS	Adjective, superlative	RBR	Adverb, comparative	WP	Wh-pronoun
LS	List item marker	RBS	Adverb, superlative	WP\$	Possessive wh-pronoun
MD	Modal	RP	Particle	WRB	Wh-adverb
NN	Noun, singular or mass	SYM	Symbol		
		TO	to		

Resources

Python for Humanists 1: Why Learn Python?

<http://www.rogerwhitson.net/?p=1260>

'Natural Language Processing with Python' book online

<http://www.nltk.org/book/>

Commands for altering lists – useful in creating stopword lists

`list.append(x)` - Add an item to the end of the list

`list.insert(i, x)` - Insert an item, i, at position, x.

`list.remove(x)` - Remove item whose value is x.

`list.pop(x)` - Remove item number x from the list.